ELSEVIER

Journal of Alloys and Compounds 269 (1998) 301

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 269

Adachi, G.-y., 116
Akiba, E., 219
Aldinger, F., 201
Andreev, A.V., 34
Artyukh, L.V., 193
Asprey, L.B., 63

Ban, E., L16
Baran, S., 25
Bauer, J., 233
Bodak, O.I., 151, 157
Bodryakov, V.Yu., 224
Bohn, M., 233
Bolat, S., 1
Borzone, G., 123
Bose, D.K., 138
Bouirden, L., 166
Brequel, H., 187
Brommer, P.E., 17
Bros, J.P., 123
Brück, E., 17, 43
Buschow, K.H.J., 17, 43

Çelebi, S., 1
Charles, J., 166
Chartouni, D., 259
Chen, L., 238
Cheng, Q.M., 297
Chijimatsu, Y., 271
Cieślak, J., 208
Cömert, H., 1

Daouchi, B., 107
Davydov, V.M., 29
de Boer, F.R., 43
Diviš, M., 43
Di, Z., 294
Du, Z., 144
Dubiel, S.M., 208
Duijn, H.G.M., 17

Edler, F.J., 7
Eller, P.G., 50, 63
Ettmayer, P., 60

Francois, M., 187
Franse, J.J.M., 17
Fruchart, D., 29
Fujiwara, K., 116

Gachon, J.C., 166
Gambino, M., 123
Gencer, A., 1
Gramlich, V., 7
Gribanov, A.V., 157
Gross, K.J., 259
Gund, B.R., 138
Guo, Q., 181
Guo, L., 88

Hagström, M.T., 288
Hayashi, K., 271
Herrera, S.R., 57
Hiraga, K., L13
Hirscher, M., 39
Homma, Y., 34
Hu, W.-K., 254

Ijjaali, I., L6
Ikeuchi, T., 271
Ilyenko, S.M., 193
Inui, H., 294
Ise, M., 173
Ishida, K., 173
Ishii, Y., 162
Ishikawa, K., 173

Jakubowicz, J., 284
Jang, K.-J., 254
Joguet, M., 233
Jurczyk, M., 284

Kainuma, R., 173
Kayano, H., 162
Kim, D.-M., 254
Kinkead, S.A., 63
Kissane, R.J., 63
Klepp, K.O., 92
Kleppa, O.J., 181
Ko, D., 246
Koblyuk, N.O., 29
Kolenda, M., 25
Kozhanov, V.N., 141
Krishnaiah, M.V., L9
Krishnan, J., 138
Krishnan, T.S., 138
Kronmüller, H., 39
Kurenbaeva, J.M., 151
Kutty, T.R.N., 75
Kuz'ma, Yu.B., 133

Lee, J.-Y., 254
Lengauer, W., 60, 233
Leroy, E., 259
Li, X.Z., L13
Lin, J.H., 297
Lipatnikov, V.N., 60
Liu, L., 238
Lomnytska, Ya.F., 133
Lund, P.D., 288

Machida, K.-i., 116
Maeda, N., 271
Magotra, S.K., 13
Malaman, B., L6
Malm, J.G., 50
Martínez, J.L., 57
Masui, T., 116
Mathon, M., 123
Matsuoka, Y., L16
Mohn, P., 43
Mommer, N., 39
Mori, H., 116
Morozkin, A.V., L1
Morss, L.R., 50
Mosset, A., 98
Murti, P.S., L9

Nayak, M., 75
Nikiforov, V.N., 151
Nikitin, S.A., 224

Oesterreicher, H., 246
Ohnuma, I., 173
Oleś, A., 25
Onuma, E., 271

Pankajavalli, R., 71
Peng, Y., 116
Podor, R., 187
Prokeš, K., 43

Qin, Y., 238

Rafaja, D., 60
Rajagopalan, P.K., 138
Record, M.-C., 107
Reule, H., 39
Richter, M., 43
Romaka, L.P., 29
Romanov, E.P., 141
Romero, S., 98

Sáez-Puche, R., 57
Sakata, T., 116
Schlapbach, L., 259
Schwarz, K., 43
Sechovský, V., 34, 43
Seenivasan, G., L9
Seifert, H.J., 201
Selhaoui, N., 166
Seropegin, Yu.D., L1
Seropegin, Yu.D., 151, 157
Sharma, I.B., 13
Shiokawa, Y., 34
Sing, M., 92
Singh, D., 13
Skolozdra, R.V., 29
Skripov, A.V., 141
Song, D., 278
Sreedharan, O.M., 71
Starynowicz, P., 67
Steinmetz, J., 187
Steurer, W., 7
Stüsser, N., 25
Su, M.Z., 297
Su, X., 144
Subasri, R., 71
Sun, Y.-H., 88
Suresh, G., L9
Sviridov, I.A., L1
Svoboda, P., 43
Swamy, V., 201
Swanson, B.I., 50, 63
Szytuła, A., 25

Tedenac, J.-C., 107
Thuy, N.P., 17
Tobola, J., 29
Trombe, J.C., 98
Tsushio, Y., 219
Tung, L.D., 17

Vanhanen, J.P., 288
Vassilev, G.P., 107
Vassiliev, V., 123
Velikanova, T.Ya., 193
Venturini, G., L6, 187
Vilasi, M., 187
Voronin, G.F., 123

Wang, Z.-C., 88
Weithaler, C., 92

Yamaguchi, M., 294
Yamamoto, T., 162, 294
Yang, E., 278
Yang, H., 278
Yanmaz, E., 1
Yoon, S.F., 241
Yoshimura, T., L16
Yuan, H., 278

Zhang, W., 144
Zhang, Y., 278
Zheng, H.Q., 241
Zhou, Z., 278
Züttel, A., 259

Elsevier Science S.A.
PII 0925-8388(98)00558-1

ELSEVIER

Journal of Alloys and Compounds 269 (1998) 303–307

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 269

AB_2
AB_2 metal hydrides for high-pressure and narrow temperature interval applications 288
AC susceptibility
the effect of Ag-doping on the magnetic behaviour of Bi–(Pb)–Sr–Ca–Cu–O ceramic superconductors 1
Activity of lead
thermodynamics of the Pb–Pd system 123
Al–5%Ti–1%B master alloy
development of Al–5%Ti–1%B master alloy 138
Al–Co alloy
high-resolution electron microscopy of the ε-Al_1Co_1 a monoclinic approximant of the Al–Co decagonal quasicrystal L13
Al–Fe–Pd
structure and disorder phenomena of cubic $Al_{10}Fe_2Pd_{21}$ in comparison with related structures 7
Alloy
crystal and electronic structure of the new compound $ZrCuSn_2$ 29
Alloy homogeneity
development of Al–5%Ti–1%B master alloy 138
Alloying efficiency
development of Al–5%Ti–1%B master alloy 138
Alloys
hydrogen in $HfTi_2$ alloy: a formation of the hydrogen-stabilized $HfTi_2H_x$ phase with the C15-type host lattice 141
Antiferroagnetism
magnetic and electrical properties of the pseudo-binary $GdCu_{x-1}Al_x$ compounds 17
Antiferromagnetism
synthesis and magnetic behaviour of the novel Pr_2BaCuO_x oxide 57
Approximant
structure and disorder phenomena of cubic $Al_{10}Fe_2Pd_{21}$ in comparison with related structures 7

B2 phase
phase equilibria and stability of the B2 phase in the Ni–Mn–Al and Co–Mn–Al systems 173
Ball milling
mechanically milled Mg composites for hydrogen storage: the relationship between morphology and kinetics 259
dehydriding properties of ternary $Mg_2Ni_{1-x}Zr_x$ hydrides synthesized by ball milling and annealing 278
Band structure
crystal and electronic structure of the new compound $ZrCuSn_2$ 29
bcc aluminides
phase equilibria and stability of the B2 phase in the Ni–Mn–Al and Co–Mn–Al systems 173
Binary oxide mixture
mutual separation characteristics of neighbouring rare earth elements Nd, Sm, Eu and Gd using stepwise chlorination–chemical vapour transport 88
Bi–(Pb)–Sr–Ca–Cu–O
the effect of Ag-doping on the magnetic behaviour of Bi–(Pb)–Sr–Ca–Cu–O ceramic superconductors 1
Bonded magnets
magnetic properties of nanocomposite $Nd_2(Fe,Co,M)_{14}B/\alpha$-Fe-bonded magnets 284

Catalyst
characterization and catalytic properties of CeO_2–ZrO_2 ultrafine particles prepared by the microemulsion method 116
Cationic distribution
cationic distribution and its influence on the luminescent properties of Fe^{3+}-doped $LiAl_5O_8$ prepared by wet chemical methods 75
Ceria–zirconia
characterization and catalytic properties of CeO_2–ZrO_2 ultrafine particles prepared by the microemulsion method 116
Cerium
study of some ternary and quaternary systems based on γ-Ce_2S_3 using oxalate complexes: stabilization and coloration 98
Ce–Ru phase diagram
optimization of the binary Ce–Ru system 166
Chalcogenides
Na_3AuSe_{12}-the first selenoaurate(III) with discrete complex anions 92
Chemical synthesis
on the synthesis and magnetic properties of $LnFe_{10}Si_2Z_x$ (Z=N,H and Ln=Tb, Er) 297
Chemical vapour transport
mutual separation characteristics of neighbouring rare earth elements Nd, Sm, Eu and Gd using stepwise chlorination–chemical vapour transport 88
Chlorination
mutual separation characteristics of neighbouring rare earth elements Nd, Sm, Eu and Gd using stepwise chlorination–chemical vapour transport 88
Co–Al base alloy
phase equilibria and stability of the B2 phase in the Ni–Mn–Al and Co–Mn–Al systems 173
Co-free mischmetal-based alloys
studies on co-free rare-earth-based hydrogen storage alloys 254
Copper–praseodymium oxide
synthesis and magnetic behaviour of the novel Pr_2BaCuO_x oxide 57
Critical current
the effect of Ag-doping on the magnetic behaviour of Bi–(Pb)–Sr–Ca–Cu–O ceramic superconductors 1
Crystal structure
X-ray single crystal refinement of the Ho_5Si_4 structure L6
structure and disorder phenomena of cubic $Al_{10}Fe_2Pd_{21}$ in comparison with related structures 7
crystal and electronic structure of the new compound $ZrCuSn_2$ 29
synthesis and structure of trisodium (ethylenediaminetetraacetato)europate(II) chloride heptahydrate 67
Na_3AuSe_{12}-the first selenoaurate(III) with discrete complex anions 92
new phosphides of IVa and Va group metals with TiNiSi-type 133
phase equilibria in the Nb–Fe–Cr–Si System 187

Elsevier Science S.A.
PII 0925-8388(98)00559-3

anomalies in cell volume and electronic properties in getter annealed $YBa_2(CuM)_3O_x$, M=Ni 246
Crystal structure determination
crystallographic data of new ternary TiNiSi (Co_2Si)-type RMnGe (R=Sm, Gd, Dy–Tm) compounds L1
Crystal structures
layer stackings and physical properties of mixed-layer structure phases III: preparation of mixed-layer structure phases of $Re_xNb_{1-x}Se_2$ and $Os_xNb_{1-x}Se_2$ and some electrical and magnetic properties 271
Cuprates
anomalies in cell volume and electronic properties in getter annealed $YBa_2(CuM)_3O_x$, M=Ni 246

Dehydriding kinetics
dehydriding properties of ternary $Mg_2Ni_{1-x}Zr_x$ hydrides synthesized by ball milling and annealing 278
Deuterium sorption
deuterium absorption properties and crystal structure of UNiAl 162
Diffusion
dehydriding properties of ternary $Mg_2Ni_{1-x}Zr_x$ hydrides synthesized by ball milling and annealing 278
Dioxygen difluoride
reactions of dioxygen difluoride with neptunium oxides and fluorides 63
Dislocation
C-type dislocations emitted from cracks introduced in a thin foil of $LaNi_5$ 294
Disorder
structure and disorder phenomena of cubic $Al_{10}Fe_2Pd_{21}$ in comparison with related structures 7
Dy_2Fe_{17}
hydrogen diffusion in Dy_2Fe_{17} 39

Electrical resistivity
magnetic and electrical properties of the pseudo-binary $GdCu_{5-x}Al_x$ compounds 17
reduced magnetic moments in UNiSi 43
layer stackings and physical properties of mixed-layer structure phases III: preparation of mixed-layer structure phases of $Re_xNb_{1-x}Se_2$ and $Os_xNb_{1-x}Se_2$ and some electrical and magnetic properties 271
Electrical transport properties
investigation of the interactions of the components in the Sm–Pd–Ge system 151
Electric transport
effect of substitution of magnetic rare earths for La on the structure, electric transport and magnetic properties of $La_2SrFe_2O_7$ 13
Electrochemical properties
studies on co-free rare-earth-based hydrogen storage alloys 254
Electronic structure calculations
reduced magnetic moments in UNiSi 43
Emf
high temperature thermodynamic stabilities of $RCoO_3$ (R=Nd, Sm, Eu, Gd or Dy) using solid oxide-electrolyte emf technique 71
Enthalpies of fusion
thermodynamic studies of the In–Se system 107
Enthalpy of formation
standard enthalpies of formation of some alloys formed between group IV elements and group VIII elements, determined by high-temperature direct synthesis calorimetry. II. Alloys of (Ti, Zr, Hf) with (Co, Ni) 181
Equilibrium
high-temperature reactive phase formation in the Nb-N system 233
Ethylenediaminetetraacetate
synthesis and structure of trisodium (ethylenediaminetetraacetato)europate(II) chloride heptahydrate 67
Europium(II)
synthesis and structure of trisodium (ethylenediaminetetraacetato)europate(II) chloride heptahydrate 67

Fe–Co–Gd system
a thermodynamic description of the Fe–Co–Gd system 144
Fe-Cr alloys
nucleation and growth versus spinodal decomposition in Fe–Cr alloys: Mössbauer-effect modelling 208
Fe-Mössbauer spectroscopy
nucleation and growth versus spinodal decomposition in Fe–Cr alloys: Mössbauer-effect modelling 208
Ferromagnetism
magnetic properties of the $UCoAl_{1-x}Ga_x$ intermetallic system 34
Friauf–Laves phase
hydrogenation properties of Mg-based Laves phase alloys 219

Gd compounds
a thermodynamic description of the Fe–Co–Gd system 144
Gibbs energy
high temperature thermodynamic stabilities of $RCoO_3$ (R=Nd, Sm, Eu, Gd or Dy) using solid oxide-electrolyte emf technique 71
Gibbs energy and enthalpy of formation
thermodynamics of the Pb–Pd system 123
Gold compounds
Na_5AuSe_{12}-the first selenoaurate(III) with discrete complex anions 92
Grain refinement action
development of Al–5%Ti–1%B master alloy 138

Hafnium alloys
standard enthalpies of formation of some alloys formed between group IV elements and group VIII elements, determined by high-temperature direct synthesis calorimetry. II. Alloys of (Ti, Zr, Hf) with (Co, Ni) 181
Hexafluorides
reactions of hexafluorides of uranium, neptunium, and plutonium with nitrogen oxides and oxyfluorides. Synthesis and characterization of $(NO)[NpF_6]$ and $(NO)[PuF_6]$ 50
High-pressure hydride
AB_2 metal hydrides for high-pressure and narrow temperature interval applications 288
High surface area
characterization and catalytic properties of CeO_2–ZrO_2 ultrafine particles prepared by the microemulsion method 116
High temperature direct synthesis calorimetry
standard enthalpies of formation of some alloys formed between group IV elements and group VIII elements, determined by high-temperature direct synthesis calorimetry. II. Alloys of (Ti, Zr, Hf) with (Co, Ni) 181
High-T_c superconductors
the effect of Ag-doping on the magnetic behaviour of Bi–(Pb)–Sr–Ca–Cu–O ceramic superconductors 1
anomalies in cell volume and electronic properties in getter annealed $YBa_2(CuM)_3O_x$, M=Ni 246
HREM
high-resolution electron microscopy of the ε-Al_3Co, a monoclinic approximant of the Al–Co decagonal quasicrystal L13
Hydrogen absorption
mechanically milled Mg composites for hydrogen storage: the relationship between morphology and kinetics 259
Hydrogen diffusion
hydrogen diffusion in Dy_2Fe_{17} 39
Hydrogen storage alloy
dehydriding properties of ternary $Mg_2Ni_{1-x}Zr_x$ hydrides synthesized by ball milling and annealing 278

Hydrogen storage alloys
studies on co-free rare-earth-based hydrogen storage alloys 254
Hysteresis
AB_2 metal hydrides for high-pressure and narrow temperature interval applications 288

Icosahedral quasicrystals
structure and disorder phenomena of cubic $Al_{70}Fe_2Pd_{28}$ in comparison with related structures 7
InP
optimisation of InP growth by molecular beam epitaxy using a valve phosphorus cracker cell 241
In–Se compounds
thermodynamic studies of the In–Se system 107
Intermetallic compound
hydrogen diffusion in Dy_2Fe_{17} 39
Intermetallic compounds
on the synthesis and magnetic properties of $LnFe_{10}Si_2Z_x$ (Z=N,H and Ln=Tb, Er) 297
Intermetallic phases
high-resolution electron microscopy of the ε-Al_3Co, a monoclinic approximant of the Al–Co decagonal quasicrystal L13
Internal friction
Young's modulus and internal friction of europium 224
Intrinsic coercivity
magnetic properties of nanocomposite $Nd_2(Fe,Co,M)_{14}B$/α-Fe-bonded magnets 284

Kinetics
mechanically milled Mg composites for hydrogen storage: the relationship between morphology and kinetics 259

$LaNi_5$
C-type dislocations emitted from cracks introduced in a thin foil of $LaNi_5$ 294
Lanthanide
synthesis and structure of trisodium (ethylenediaminetetraacetato)europate(II) chloride heptahydrate 67
study of some ternary and quaternary systems based on γ-Ce_2S_3 using oxalate complexes: stabilization and coloration 98
Laser flash technique
investigation of the thermal conductivity of selected compounds of lanthanum, samarium and europium L9
Layer growth
high-temperature reactive phase formation in the Nb-N system 233
$LiAl_5O_8$
cationic distribution and its influence on the luminescent properties of Fe^{3+}-doped $LiAl_5O_8$ prepared by wet chemical methods 75
Liquidus surface
phase equilibria in the Sc–Zr–C system 193
$Ln_2SrFe_2O_7$
effect of substitution of magnetic rare earths for La on the structure, electric transport and magnetic properties of $La_2SrFe_2O_7$ 13
Luminescence
cationic distribution and its influence on the luminescent properties of Fe^{3+}-doped $LiAl_5O_8$ prepared by wet chemical methods 75

Magnetic after-effect
hydrogen diffusion in Dy_2Fe_{17} 39
Magnetic properties
effect of substitution of magnetic rare earths for La on the structure, electric transport and magnetic properties of $La_2SrFe_2O_7$ 13
synthesis and magnetic behaviour of the novel Pr_2BaCuO_5 oxide 57
on the synthesis and magnetic properties of $LnFe_{10}Si_2Z_x$ (Z=N,H and Ln=Tb, Er) 297
Magnetic structure
magnetic structures of PrPdSn and NdPdSn 25
Magnetic susceptibility
layer stackings and physical properties of mixed-layer structure phases III: preparation of mixed-layer structure phases of $Re_xNb_{1-x}Se_2$ and $Os_xNb_{1-x}Se_2$ and some electrical and magnetic properties 271
Magnetisation
reduced magnetic moments in UNiSi 43
MBE
optimisation of InP growth by molecular beam epitaxy using a valve phosphorus cracker cell 241
Mean field model
magnetic and electrical properties of the pseudo-binary $GdCu_{5-x}Al_x$ compounds 17
Mechanical alloying
characterization of nanocrystalline tantalum nitride formed by solid–gas reaction during mechanical alloying 238
Metal hydride
deuterium absorption properties and crystal structure of UNiAl 162
mechanically milled Mg composites for hydrogen storage: the relationship between morphology and kinetics 259
Metal hydrides
hydrogen in $HfTi_2$ alloy: a formation of the hydrogen-stabilized $HfTi_2H_x$ phase with the C15-type host lattice 141
Metal hydrogen electrode
studies on co-free rare-earth-based hydrogen storage alloys 254
Metamagnetism
magnetic properties of the $UCoAl_{1-x}Ga_x$ intermetallic system 34
Mg alloys
dehydriding properties of ternary $Mg_2Ni_{1-x}Zr_x$ hydrides synthesized by ball milling and annealing 278
Mg-based alloy
hydrogenation properties of Mg-based Laves phase alloys 219
Microemulsion
characterization and catalytic properties of CeO_2–ZrO_2 ultrafine particles prepared by the microemulsion method 116
Miscibility gap
phase equilibria and stability of the B2 phase in the Ni–Mn–Al and Co–Mn–Al systems 173
Mixed-layer phases
layer stackings and physical properties of mixed-layer structure phases III: preparation of mixed-layer structure phases of $Re_xNb_{1-x}Se_2$ and $Os_xNb_{1-x}Se_2$ and some electrical and magnetic properties 271

$Nd_{12.6}Fe_{86.4-x}Co_{11.6}M_xB_6$/α-Fe
magnetic properties of nanocomposite $Nd_2(Fe,Co,M)_{14}B$/α-Fe-bonded magnets 284
Neptunium
reactions of hexafluorides of uranium, neptunium, and plutonium with nitrogen oxides and oxyfluorides. Synthesis and characterization of $(NO)[NpF_6]$ and $(NO)[PuF_6]$ 50
Neptunium dioxide
reactions of dioxygen difluoride with neptunium oxides and fluorides 63
Neptunium hexafluoride
reactions of dioxygen difluoride with neptunium oxides and fluorides 63
Neptunium tetrafluoride
reactions of dioxygen difluoride with neptunium oxides and fluorides 63
Neutron diffraction
magnetic structures of PrPdSn and NdPdSn 25
deuterium absorption properties and crystal structure of UNiAl 162

Ni–Al base alloy
phase equilibria and stability of the B2 phase in the Ni–Mn–Al and Co–Mn–Al systems 173
Niobium nitride
high-temperature reactive phase formation in the Nb-N system 233
Nitridation
high-temperature reactive phase formation in the Nb-N system 233
Nitrogen oxides
reactions of hexafluorides of uranium, neptunium, and plutonium with nitrogen oxides and oxyfluorides. Synthesis and characterization of $(NO)[NpF_6]$ and $(NO)[PuF_6]$ 50
Nitrogen pressure
high-temperature reactive phase formation in the Nb-N system 233
Nuclear magnetic resonance
cationic distribution and its influence on the luminescent properties of Fe^{3+}-doped $LiAl_5O_8$ prepared by wet chemical methods 75
Nucleation and growth
nucleation and growth versus spinodal decomposition in Fe–Cr alloys: Mössbauer-effect modelling 208

Optimization
optimization of the binary Ce–Ru system 166
Order–disorder transition
phase equilibria and stability of the B2 phase in the Ni–Mn–Al and Co–Mn–Al systems 173
Ordering
Rietveld analysis of the ordering in V_8C_7 60
Oxyfluorides
reactions of hexafluorides of uranium, neptunium, and plutonium with nitrogen oxides and oxyfluorides. Synthesis and characterization of $(NO)[NpF_6]$ and $(NO)[PuF_6]$ 50
Oxygen
thermodynamic properties of Y_2O_3 phases and the yttrium–oxygen phase diagram 201
Oxygen concentration
anomalies in cell volume and electronic properties in getter annealed $YBa_2(CuM)_3O_x$, M=Ni 246

Pb–Pd system
thermodynamics of the Pb–Pd system 123
Perovskite
high temperature thermodynamic stabilities of $RCoO_3$ (R=Nd, Sm, Eu, Gd or Dy) using solid oxide-electrolyte emf technique 71
δ-Phase
phase equilibria in the Sc–Zr–C system 193
γ-Phase
study of some ternary and quaternary systems based on γ-Ce_2S_3 using oxalate complexes: stabilization and coloration 98
Phase diagram
thermodynamics of the Pb–Pd system 123
investigation of the interactions of the components in the Sm–Pd–Ge system 151
phase equilibria in the Nb–Fe–Cr–Si System 187
phase equilibria in the Sc–Zr–C system 193
thermodynamic properties of Y_2O_3 phases and the yttrium–oxygen phase diagram 201
layer stackings and physical properties of mixed-layer structure phases III: preparation of mixed-layer structure phases of $Re_xNb_{1-x}Se_2$ and $Os_xNb_{1-x}Se_2$ and some electrical and magnetic properties 271
Phase diagram calculations
a thermodynamic description of the Fe–Co–Gd system 144
Phase equilibria
isothermal cross-section of the Ce–Pd–Ge phase diagram at 600°C 157
Phase equilibrium
phase equilibria and stability of the B2 phase in the Ni–Mn–Al and Co–Mn–Al systems 173
Photoluminescence spectra
optimisation of InP growth by molecular beam epitaxy using a valve phosphorus cracker cell 241
Pigment
study of some ternary and quaternary systems based on γ-Ce_2S_3 using oxalate complexes: stabilization and coloration 98
Pinning strength parameter
the effect of Ag-doping on the magnetic behaviour of Bi–(Pb)–Sr–Ca–Cu–O ceramic superconductors 1
Plutonium
reactions of hexafluorides of uranium, neptunium, and plutonium with nitrogen oxides and oxyfluorides. Synthesis and characterization of $(NO)[NpF_6]$ and $(NO)[PuF_6]$ 50
Polyanionic compounds
Na_3AuSe_{12}-the first selenoaurate(III) with discrete complex anions 92
Potentiometric measurements
thermodynamics of the Pb–Pd system 123
Powdering
C-type dislocations emitted from cracks introduced in a thin foil of $LaNi_5$ 294
Preparation
new phosphides of IVa and Va group metals with TiNiSi-type 133

Rare-earth cobaltate
high temperature thermodynamic stabilities of $RCoO_3$ (R=Nd, Sm, Eu, Gd or Dy) using solid oxide-electrolyte emf technique 71
Rare earth copper aluminides
magnetic and electrical properties of the pseudo-binary $GdCu_{6-x}Al_x$ compounds 17
Rare earth manganese germanides
crystallographic data of new ternary TiNiSi (Co_2Si)-type RMnGe (R=Sm, Gd, Dy–Tm) compounds L1
Rare earth materials
investigation of the thermal conductivity of selected compounds of lanthanum, samarium and europium L9
Rare earth metals
Young's modulus and internal friction of europium 224
Rare earth palladium germanides
isothermal cross-section of the Ce–Pd–Ge phase diagram at 600°C 157
Rare earth palladium stannides
magnetic structures of PrPdSn and NdPdSn 25
Rare earth separation
mutual separation characteristics of neighbouring rare earth elements Nd, Sm, Eu and Gd using stepwise chlorination–chemical vapour transport 88
Rare earth silicides
X-ray single crystal refinement of the Ho_5Si_4 structure L6
Remanence-enhanced materials
magnetic properties of nanocomposite $Nd_2(Fe,Co,M)_{14}B/\alpha$-Fe-bonded magnets 284
Rietveld refinement
Rietveld analysis of the ordering in V_8C_7 60

Samarium palladium germanides
investigation of the interactions of the components in the Sm–Pd–Ge system 151
Sc–Zr–C alloys
phase equilibria in the Sc–Zr–C system 193
Selenoaurate(III)
Na_3AuSe_{12}-the first selenoaurate(III) with discrete complex anions 92
Semiconductor
optimisation of InP growth by molecular beam epitaxy using a valve phosphorus cracker cell 241

Silicide
phase equilibria in the Nb–Fe–Cr–Si System 187
Silicide coatings
phase equilibria in the Nb–Fe–Cr–Si System 187
Slip system
C-type dislocations emitted from cracks introduced in a thin foil of $LaNi_5$ 294
Solid–gas reaction
characterization of nanocrystalline tantalum nitride formed by solid–gas reaction during mechanical alloying 238
Solidus surface
phase equilibria in the Sc–Zr–C system 193
Specific heat
reduced magnetic moments in UNiSi 43
Spinodal decomposition
nucleation and growth versus spinodal decomposition in Fe–Cr alloys: Mössbauer-effect modelling 208
Stability
high temperature thermodynamic stabilities of $RCoO_3$ (R=Nd, Sm, Eu, Gd or Dy) using solid oxide-electrolyte emf technique 71
Stannide
crystal and electronic structure of the new compound $ZrCuSn_2$ 29
Structural characterization
synthesis and magnetic behaviour of the novel Pr_2BaCuO_5 oxide 57
Structural model
high-resolution electron microscopy of the ε-Al_5Co_2, a monoclinic approximant of the Al–Co decagonal quasicrystal L13
Structure
effect of substitution of magnetic rare earths for La on the structure, electric transport and magnetic properties of $La_2SrFe_2O_7$ 13
Structure refinement
deuterium absorption properties and crystal structure of UNiAl 162
Substitution
hydrogenation properties of Mg-based Laves phase alloys 219
Sulfide
study of some ternary and quaternary systems based on γ-Ce_2S_3 using oxalate complexes: stabilization and coloration 98
Synthesis
anomalies in cell volume and electronic properties in getter annealed $YBa_2(CuM)_3O_y$, M=Ni 246

Tantalum nitride
characterization of nanocrystalline tantalum nitride formed by solid–gas reaction during mechanical alloying 238
Ternary section
investigation of the interactions of the components in the Sm–Pd–Ge system 151
Ternary system
isothermal cross-section of the Ce–Pd–Ge phase diagram at 600°C 157
Thermal boundary conditions
AB_2 metal hydrides for high-pressure and narrow temperature interval applications 288
Thermal conductivity
investigation of the thermal conductivity of selected compounds of lanthanum, samarium and europium L9
Thermal desorption
hydrogen diffusion in Dy_2Fe_{17} 39
Thermodynamic evaluation
thermodynamic properties of Y_2O_3 phases and the yttrium–oxygen phase diagram 201
Thermodynamic properties
a thermodynamic description of the Fe–Co–Gd system 144
optimization of the binary Ce–Ru system 166
Thermodynamic stability
thermodynamic studies of the In–Se system 107
TiNiSi-type compounds
crystallographic data of new ternary TiNiSi (Co_2Si)-type RMnGe (R=Sm, Gd, Dy–Tm) compounds L1
Titanium alloys
standard enthalpies of formation of some alloys formed between group IV elements and group VIII elements, determined by high-temperature direct synthesis calorimetry. II. Alloys of (Ti, Zr, Hf) with (Co, Ni) 181
Transition metal phosphide
new phosphides of IVa and Va group metals with TiNiSi-type 133
Transmission electron microscopy
C-type dislocations emitted from cracks introduced in a thin foil of $LaNi_5$ 294

Ultrafine particles
characterization and catalytic properties of CeO_2–ZrO_2 ultrafine particles prepared by the microemulsion method 116
Uranium
reactions of hexafluorides of uranium, neptunium, and plutonium with nitrogen oxides and oxyfluorides. Synthesis and characterization of $(NO)[NpF_6]$ and $(NO)[PuF_6]$ 50
Uranium intermetallics
magnetic properties of the $UCoAl_{1-x}Ga_x$ intermetallic system 34
Uranium nickel silicide
reduced magnetic moments in UNiSi 43

Vanadium carbide
Rietveld analysis of the ordering in V_8C_7 60
Vapour complex
mutual separation characteristics of neighbouring rare earth elements Nd, Sm, Eu and Gd using stepwise chlorination–chemical vapour transport 88

Wet chemical methods
cationic distribution and its influence on the luminescent properties of Fe^{3+}-doped $LiAl_5O_8$ prepared by wet chemical methods 75

X-ray diffraction
X-ray single crystal refinement of the Ho_5Si_4 structure L6
Rietveld analysis of the ordering in V_8C_7 60
hydrogen in $HfTi_2$ alloy: a formation of the hydrogen-stabilized $HfTi_2H_x$ phase with the C15-type host lattice 141

Y_2O_3
thermodynamic properties of Y_2O_3 phases and the yttrium–oxygen phase diagram 201
Young's modulus
Young's modulus and internal friction of europium 224
Yttrium
thermodynamic properties of Y_2O_3 phases and the yttrium–oxygen phase diagram 201

Zirconium alloys
standard enthalpies of formation of some alloys formed between group IV elements and group VIII elements, determined by high-temperature direct synthesis calorimetry. II. Alloys of (Ti, Zr, Hf) with (Co, Ni) 181